



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## CATALOGUE OF THE DESCRIBED SPECIES OF SOUTH AMERICAN ASILIDÆ.

BY S. W. WILLISTON.

The following preliminary catalogue of the described species of South American Asilidæ is offered in the hope that it may lighten the labors of students of the South American Dipterous fauna. It was originally prepared, two years ago, as a preliminary to the study of a Brazilian collection in this family, and has been recently subjected to a careful revision. It will be strange if, among so many references, some errors, both of omission and commission, are not found. I can only say in extenuation of such, that the entire paper has been repeatedly written and the references as often compared. Schiner's list of specific names of the Asilidæ of the world, which seems to be very complete to 1860, has been of material service, as also Lynch's partial catalogue. The distribution of the genera is chiefly that of Schiner; some few changes have been made in accordance with Lynch's, Osten Sacken's, or my own views. A very few of the less important works have been inaccessible to me, and it is in them that additional references may be found. The references thus taken at second hand will be found preceded by an asterisk. No references later than 1889 are included.

### I.—DASYPOGONINÆ.

#### DASYPOGON.

*Sensu latissimo.*

- aberrans** Wiedemann, Dipt. Exot. i, 223; Auss. Zw. Ins. i, 389.—South America.  
**aurarius** Wiedemann, Dipt. Exot. i, 229; Auss. Zw. Ins. i, 410.—Brazil.  
**calennensis** Fabricius, Mant. Ins. ii, 360 (*Asilus*); Ent. Syst. iv, 386 (id.); Syst. Antl. 162 (*Laphria*); Wiedemann, Dipt. Exot. i, 220; Auss. Ins. i, 383.—Cayenne.  
**coriaceus** Wiedemann, Dipt. Exot. i, 230; Auss. Zw. Ins. i, 411.—Brazil. [*Holcocephala*?]  
**hirtuosus** Wiedemann, Dipt. Exot. i, 227; Auss. Zw. Ins. i, 402.—Brazil.  
**\*leptogaster** Perty, Delectus, etc., 130, pl. xxxvi, fig. 2 (*Laphria*); Walker, List, vi, 504.—Bahia.  
**mundatus** Wiedemann, Auss. Zw. Ins. i, 569.—Brazil.  
**reticulatus** Fabricius, Syst. Antl. i, 160 (*Laphria*); Wiedemann, Dipt. Exot. i, 212; Auss. Zw. Ins. i, 378.—South America.

*splendens* Philippi, Verh. zool.-bot. Gesellsch. xv, 690.—Chili.  
*testaceus* Fabricius, Syst. Antl. i, 167; Wiedemann, Dipt. Exot. i, 222; Auss.  
 Zw. Ins. i, 386; Schiner, Verh. zool.-bot. Gesellsch. xvi, 677.—South  
 America. [*Plesiomma*? Schiner.]

A.—*Tibiæ anticæ non calcaratæ.*

### DASYPOGON.

*Sensu latiori.*

*atratus* Philippi, Verh. zool.-bot. Gesellsch. xv, 687.—Chili.  
*carbonarius* Philippi, Verh. zool.-bot. Gesellsch. xv, 687.—Chili.  
*chilensis* Macquart, Dipt. Exot. i, 2, 46; Blanchard, Gay's Hist. fis. y pol. de  
 Chile, vii, 365.—Chili.  
*dorsalis* Macquart, Dipt. Exot. Suppl. iii, 20, pl. i, fig. 12.—Rio Negro.  
*fasciatus* Macquart, Hist. Nat. Dipt. i, 295.—Cayenne.  
*fenestrata* Macquart, Dipt. Exot. i, 2, 58 (*Senobasis*).—Brazil.  
*fuscipennis* Macquart, Hist. Nat. Dipt. i, 294.—Cayenne.  
*insertus* Walker, Dipt. Saund. 94.—Para.  
*latus* Philippi, Verh. zool.-bot. Gesellsch. xv, 686.—Chili.  
*lugens* Philippi, Verh. zool.-bot. Gesellsch. xv, 689.—Chili.  
*micans* Philippi, Verh. zool.-bot. Gesellsch. xv, 690.—Chili.  
*Phalna* Walker, List, etc., ii, 331; vi, 486.—Para.  
*punctipennis* Macquart, Dipt. Exot. i, 2, 46; Blanchard, Gay's Hist. fis. y pol.  
 de Chile, vii, 365.—Chili.  
*rubiginnipennis* Macquart, Dipt. Exot. i, 2, 45.—Brazil.  
*rufipes* Philippi, Verh. zool.-bot. Gesellsch. xv, 691.—Chili.  
*sericeus* Philippi, Verh. zool.-bot. Gesellsch. xv, 691.—Chili.  
*tripartitus* Walker, List, etc., vi, 437.—Brazil.  
*venustus* Philippi, Verh. zool.-bot. Gesellsch. xv, 689.—Chili.

### LEPTOGASTER.

Meigen, Illiger's Magaz. 1803; *Gonypes* Latreille, Hist. Nat. Crust. etc., 1804.  
*Audouinii* Macquart, Dipt. Exot. i, 2, 155 (*Gonypes*); Schiner, Verh. zool.-bot.  
 Gesellsch. xvii, 357.—Brazil. [Schiner].  
*annulipes* Walker, List, etc., vii, 772.—Para.  
*basalis* Walker, List, etc., vii, 770.—Amazon.  
*bicolor* Macquart, Dipt. Exot. 3 Suppl. 31, pl. iii, fig. 6 (*Gonypes*).—Rio Negro.  
*\*breviventris* Rondani, Studi Entom. (*Gonypes*).—Brazil.  
*cingulipes* Walker, Trans. Entom. Soc. iv, 130.—Amazon.  
*\*clavistylus* Rondani, Studi Entom. (*Gonypes*).—Brazil.  
*distincta* Schiner, Verh. zool.-bot. Gesellsch. xvii, 357.—Brazil.  
*ferruginea* Walker, List, etc., vii, 771.—Para.  
*gracillima* Walker, List, etc., vii, 771.—Para.  
*Kamerlocheri* Schiner, Verh. zool.-bot. Gesellsch. xvii, 350.—Brazil.  
*multicincta* Walker, Dipt. Saund. 155.—South America.  
*nigra* Wiedemann, Auss. Zw. Ins. i, 533; Schiner, Verh. zool.-bot. Gesellsch. xvi,  
 694, xvii, 356.—Brazil.  
*nubeculosa* Bigot, Ann. Soc. Ent. France 1878, 445.—Colombia.

**rubida** Wiedemann, Dipt. Exot. i, 242; Auss. Zw. Ins. i, 533; Schiner, Verh. zool.-bot. Gesellsch. xvi, 694.—South America.

\***tenuipes** Loew (Schiner).

\***varipes** Loew (Schiner).

**vitripennis** Schiner, Verh. zool.-bot. Gesellsch. xvii, 358.—Brazil.

#### LASIOCNEMIS.

Loew, Bemerk. ueber d. Fam. Asil. 1851.

**calceolatus** Bigot, Ann. Soc. Ent. Fr. 1878, 430.—Amazon.

#### EUSCELIDEA.

Westwood, Trans. Ent. Soc. London, 1850.

**fascipennis** Schiner, Verh. zool.-bot. Gesellsch. xvii, 359.—Brazil.

#### DIOCTRIA.

Meigen, Illiger's Magaz. 1803.

**nigrita** Fabricius, Syst. Antl. 152; Wiedemann, Dipt. Exot. i, 180; Auss. Zw. Ins. i, 366; Walker, List. etc., vi, 497 (*Discocephala*)—South America.

**tenuis** Walker, Dipt. Saund., 86.—South America.

**vicina** Macquart, Dipt. Exot. i, 2, 26; Walker, List, etc., vi, 387.—Brazil.

#### PLESIOMMA.

Macquart, Dipt. Exot. i, 2, 54, 1838.

**cædens** Wiedemann, Auss. Zw. Ins. i, 584 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 681.—Brazil.

**caminiarius** Wiedemann, Auss. Zw. Ins. i, 585 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 681.—Brazil.

**fuliginosus** Wiedemann, Auss. Zw. Ins. i, 380 (*Dasypogon*); Dipt. Exot. i, 218 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 677; Jaennicke, Neue exot. Dipt. 359.—Brazil.

**nigra** Macquart, Dipt. Exot. i, 2, 55.—Brazil. [Schiner, Jaennicke].

**jungens** Schiner, Verh. zool.-bot. Gesellsch. xvii, 375.—Brazil.

**semirufa** Wiedemann, Auss. Zw. Ins. i, 393 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678; v. d. Wulp, Tijdschr. v. Entom. xxv, 96; E. Lynch A., An. Soc. Ent. Arg. x, sep. 94.—Brazil, Argentina.

#### DIZONIAS.

Loew, Centur. vii, 53, 1866.

**tristis** Walker, Dipt. Saund. 93 (*Dasypogon*).—United States, Central and South America.

*Dasypogon quadrimaculatus* Bellardii, Saggio, ii, 80, pl. i, fig. 8.—Mexico. [Osten Sacken].

*Dizonias bicornis* Loew, Centur. vii, 54; v. d. Wulp, Tijdschr. v. Entom. xxv, 96; Osten Sacken, Cat. Dipt. 230; Biol. Centrali-Americana, 169.

#### PHILAMOSIUS.

Rondani, Prodr. 1856; Dipt. Aliq. Exot. 1863.

**ocrealis** Rondani, Dipt. Aliq. Exot. Arch. per la Zool. 45, 1863.—Chili.

## PROLEPSIS.

Walker, Dipt. Saund. 101, 1851; *Cacodæmon*, Schiner, Verh. zool.-bot. Gesellsch. xvi, 671, 1866.

*lucifer* Wiedemann, Auss. Zw. Ins. i, 388 (*Dasygogon*); Walker, List, etc., vi, 432 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 672 (*Cacodæmon*); Bigot, Ann. Soc. Ent. Fr. (5), viii, 431 (id.); v. d. Wulp, Tijdschr. v. Entom. xxii, 21 (id.); E. Lynch A., An. Soc. Cient. Arg. viii, 152 (8), xi, 26.—Montevideo, Argentina, Brazil, Uruguay, Buenos Aires.

*Dasygogon sutanas* Wiedemann, Auss. Zw. Ins. i, 401; Loew, Bemerk. Fam. Asil. 13; Walker, List, etc., vi, 441, 442; Schiner, Verh. zool.-bot. Gesellsch. xvi, 702 (*Cacodæmon*); v. d. Wulp, Tijdschr. v. Entom. xxii, 21 (id.).

? *Dasygogon rufipennis* Macquart, Dipt. Exot. i, 2, 45; Walker, List, etc., vi, 438 (E. Lynch A., An. Soc. Cient. Arg. ix, 29).

*Prolepsis fumiflamma* Walker, Dipt. Saund. 100, pl. iii, fig. 6; List, etc., vi, 437. *crabroniformis* Schiner, Verh. zool.-bot. Gesellsch. xvii, 375 (*Cacodæmon*). *quadrinotata* Bigot, Ann. Soc. Ent. Fr. 1878, 431 (*Cacodæmon*).—Chili.

## TOLMEROLESTES.

E. Lynch A., An. Soc. Cient. Arg. xi, 27 (Asilides Argentinos), 1881.

*fax* E. Lynch A., An. Soc. Cient. Arg. xi, 30.—Buenos Aires.

*Pluto* E. Lynch A., An. Soc. Cient. Arg. xi, 112.—Buenos Aires.

*rubripes* E. Lynch A., An. Soc. Cient. Arg. xi, 114.—San Luis.

## CYLICOMERA.

E. Lynch A., An. Soc. Cient. Arg. xi, 115, 1881.

*fraterna* E. Lynch A., An. Soc. Cient. Arg. xi, 117.—Buenos Aires.

*rubrofasciata* E. Lynch A., An. Soc. Cient. Arg. xi, 119.—Buenos Aires.

## MICROSTYLUM.

Macquart, Dipt. Exot. i, 2, 26, 1838.

*longipes* Macquart, Dipt. Exot. i, 2, 30, pl. ii, fig. 4.—Brazil.

## DICRANUS.

Loew, Bemerk. Fam. Asil. 13, 1851; *Macronix* Bigot, Ann. Soc. Ent. Fr. 1857, 549.

*longiungulatus* Macquart, Dipt. Exot. Suppl. iv, 67, pl. vi, fig. 14 (*Dasygogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 676.—Brazil.

*rutilus* Wiedemann, Dipt. Exot. i, 231; Auss. Zw. Ins. i, 370 (*Dasygogon*); \*Loew, Bemerk. Fam. Asil.; Schiner, Verh. zool.-bot. Gesellsch. xvi, 676.—Brazil.

*Tucma* E. Lynch A., An. Soc. Cient. Arg. ix, 26 (9), xi, 124; v. d. Wulp, Tijdschr. v. Entom. xxv, 98.—Argentina.

## OBELOPHORUS.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 672, 1866; Novara Exped. 167, 1868.

*Landbeckii* Philippi, Verh. zool.-bot. Gesellsch. xv, 686, pl. xxv, fig. 24.—Chili.

*terebratus* Macquart, Dipt. Exot. Suppl. iv, 66, pl. vi, fig. 11 (*Dasygogon*); Blanchard, Gay's Hist. fis. y pol. de Chile, vii, 366 (id.); Schiner, Novara Exped. 168.—Chili.

## ARCHILESTRIS.

Loew, Berl. Ent. Zeit. xviii, 377, 1874; *Archilestes* Schiner, Verh. zool.-bot. Gesellsch. xvi, 672, 1866 [preoc.]; *Pseudarchilestes* Bigot, Bullet. Soc. Ent. Fr. 1889, p. 183.

*captnopterus* Wiedemann, Auss. Zw. Ins. i, 376 (*Dasypogon*); Walker, List, etc., vi, 441, 442 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 672, xvii, 377 (*Archilestes*); E. Lynch A., An. Soc. Cient. Arg. 28; Williston, Psyche, 255, 1889.—Montevideo, Brazil.

*Dasypogon albitarsis* Macquart, Dipt. Exot. Suppl. i, 66, pl. vii, fig. 7; Walker, List, etc., vi, 441, 444; Bigot, Bullet. Soc. Ent. Fr. 1889, 183 (*Pseudarchilestes*). [Schiner].

*magnificus* Walker, List, etc., vi, 427 (*Dasypogon*); Bellardii, Saggio, 79, pl. i, fig. 19 (*Microstylum*); Schiner, Novara Exped. 168; Osten Sacken, Biol. Centr.-Amer. 169.—Mexico, South America.

## DOLICHODES.

Macquart, Dipt. Exot. i, 2, 49, 1838.

*ferruginea* Macquart, Dipt. Exot. i, 2, 49, pl. iv, fig. 1.—Brazil.

## HOLOPOGON.

Loew, Linn. Ent. ii, 473, 1847.

*bullatus* v. d. Wulp, Tijdschr. v. Entom. xxv, 100.—Argentina.

*tenerus* Bigot, Ann. Soc. Ent. Fr. 1878, 437.—Chili.

## HYPENETES.

Loew, Ofvers. af. k. vet. Akad. Forhandl. 1857; Diptf. Südafrikas, 89, 1860; *Clavator* Philippi, Verh. zool.-bot. Gesellsch. xv, 699, 1865.

*asiliformis* v. d. Wulp, Tijdschr. v. Entom. xxv, 101.—Argentina.

*brevicornis* Philippi, Verh. zool.-bot. Gesellsch. xv, 700 (*Clavator*).—Chili.

*fulvicornis* Macquart, Dipt. Exot. Suppl. i, 67, pl. vii, fig. 11 (*Dasypogon*); Schiner, Novara Exped. 159.—Chili, Brazil.

*nigribarbis* Philippi, Verh., zool.-bot. Gesellsch. xv, 700 (*Clavator*).—Chili.

*punctipennis* Philippi, Verh. zool.-bot. Gesellsch. xv, 699, pl. xxvi, fig. 31 (*Clavator*); Schiner, Novara Exped. 159.—Chili.

*rufescens* Philippi, Verh. zool.-bot. Gesellsch. xv, 700 (*Clavator*).—Chili.

*rubricornis* Philippi, Verh. zool.-bot. Gesellsch. xv, 700 (*Clavator*).—Chili.

## DASYCYRTON.

Philippi, Verh. zool.-bot. Gesellsch. xv.

*gibbosus* Philippi, Verh. zool.-bot. Gesellsch. xv, 701, pl. xxvi, fig. 30.—Chili.

## BATHYPOGON.

Loew, Bemerk. u. d. Fam. Asilidæ, 1851.

*cinereus* Bigot, Ann. Soc. Ent. Fr. 1878, 432.—Colombia.

*claripennis* Schiner, Novara Exped. 160.—Chili.

*hirtipes* Macquart, Dipt. Exot. i, 2, 46 (*Dasypogon*); Blanchard, Gay's Hist. Chile, vii, 368 (id.); Philippi, Verh. zool.-bot. Gesellsch. xv, 686 (id.).—Chili. [Schiner].

*hirtuosus* Schiner, Novara Exped. 160.—Chili.

*parvus* Bigot, Ann. Soc. Ent. Fr. 1878, 432.—Chili.

#### DASYPECUS.

Philippi, Verh. zool.-bot. Gesellsch. xv, 692, 1865.

*heteroneurus* Philippi, Verh. zool.-bot. Gesellsch. xv, 692, pl. xxviii, fig. 24.—Chili.

#### HOLOCEPHALA.

Jaennicke, Neue Exot. Dipt. 51, Abh. Senckenb. Gesellsch. vii, 359, 1867; *Discocephala* Macquart, Dipt. Exot. i, 2, 50, 1838 [preoc].

*abdominalis* Say, J. Acad. Phil. iii, 50; Compl. Wr. ii, 64 (*Dasygogon*); Wiedemann, Auss. Zw. Ins. i, 412 (id).—North America.

*Discocephala rufiventris* Macquart, Dipt. Exot. i, 2, 50, pl. iv, fig. 2.—Carolina, Brazil.

*Dasygogon æta* Walker, List, etc., ii, 362.—North America.

*Dasygogon laticeps* v. d. Wulp, Tijdschr. v. Ent. (2), ii, 137, pl. iii, figs. 10–15.—North America.

*alboatra* Walker, Dipt. Saund. 100, pl. iii, fig. 8.—Brazil.

*analis* Macquart, Dipt. Exot. Suppl. i, 68 (*Discocephala*).—Columbia, Africa. [Comp. Loew, Diptf. Südafrikas, p. 96].

*apicalis* Walker, List, etc., vi, 497 (*Discocephala*) — West coast of America

\**inornata* Rondani, Studi Entom. (*Discocephala*).—Brazil.

\**macula* Rondani, Studi Entom. (*Discocephala*).—Brazil.

*oculata* Fabricius, Syst. Antl. 151 (*Dioctria*); Wiedemann, Dipt. Exot. i, 230 (*Dasygogon*); Auss. Zw. Ins. i, 412 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 681 (*Discocephala*).—Brazil.

*Discocephala agalla* Walker, List, ii, 361.—Brazil. [Walker, List, vi, 497].

*pullata* Burmeister, \*Reise, etc., ii, 170 (*Holocephala*); E. Lynch A., Asil. Arg. 96.—Tucuman [Nomen nudum].

*rufithorax* Wiedemann, Auss. Zw. Ins. i, 410 (*Dasygogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 680 (*Discocephala*); Walker, List, vi, 496 (id).—Brazil.

*scopifer* Schiner, Novara Exped. 161 (*Discocephala*).—South America.

*uruguayensis* E. Lynch A., An. Soc. Cient. Arg. sep.—Uruguay.

#### DAMALIS.

Fabricius, Syst. Antl. 1805.

? *divisa* Walker, List, vii, 762.—Brazil.

#### TRICLIS.

Loew, Bemerk. Fam. Asil. 1851; *Gastrichelius* Rondani, Prodrôme, 1856.

*tricolor* Schiner, Novara Exped. 162.—Chili.

#### SCYLATICUS.

Loew, Ofvers. af. K. Vet. Akad. Forhandl. 1857, 349; Diptf. Südafrikas, 84, 1860;

*Euthrix* Philippi, Verh. zool.-bot. Gesellsch. xv, 690, 1865.

*fulvicornis* Macquart, Dipt. Exot. Suppl. iv, 68, pl. vi, fig. 12 (*Dasygogon*); Blanchard, Gay's Hist. Chile, vii, 366 (id); Schiner, Novara Exped. 163; Brauer, Syst. Zool. Studien, Sitzb. d. k. Akad. d. Wissensch. xci 385, sep. 149, pl. figs. 7, 7a, 7b, 7c.—Chili.

*nitidigaster* Macquart, Dipt. Exot. Suppl. iv, 69 (*Dasygogon*); Blanchard, Gay's Hist. Chile, vii, 367 (id.); Philippi, Verh. zool.-bot. Gesellsch. xv, 686 (id.); Schiner, Novara Exped. 163.—Chili.  
*Philippii* Schiner, Novara Exped. 163.—Chili.  
*rubripes* Bigot, Ann. Soc. Ent. Fr. 1878, 435.—Chili.  
*tricolor* Philippi, Verh. zool.-bot. Gesellsch. xv, 690 (*Dasygogon*).—Chili. [Schiner].

B.—*Tibiæ anticæ calcaratæ.*

#### THEROMYIA nom. nov.

*Cylindrophora* Philippi, Verh. zool.-bot. Gesellsch. xv, 704, 1865 (preoc.); *Lynchia* Williston, Psyche 1889, 255; *Myiothera* (id.) ibid. 259 (both preoc.).  
*breviventris* Macquart, Dipt. Exot. Suppl. iii, 21, pl. i, fig. 13 (*Dasygogon*).—Rio Negro.  
*calopyga* Schiner, Novara Exped. 166 (*Cylindrophora*).—Chili.  
*murina* Philippi, Verh. zool.-bot. Gesellsch. xv, 704 (*Cylindrophora*).—Chili.

#### APHAMARTANIA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 671, 1866.

*Frauenfeldi* Schiner, Verh. zool.-bot. Gesellsch. xvii, 372.—Venezuela.

#### LASTAURUS.

Loew, Bemerk. v. d. Fam. Asil. 11, 1851; *Morimna* Walker, Dipt. Saund. 104, '56.  
*ardens* Wiedemann, Auss. Zw. Ins. i, 391 (*Dasygogon*); Walker, List, etc., vi, 441, 446 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678; E. Lynch A., An. Soc. Cient. Arg. viii, 151 (7).—Brazil, Buenos Aires, Misiones.  
*fallax* Macquart, Dipt. Exot. Suppl. i, 63, pl. vii, fig. 5 (*Dasygogon*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 373; Osten Sacken, Biol. Centr.-Amer. 180.—Venezuela, Mexico.  
? *L. mutabilis* Loew, \*Bemerk. Fam. Asil. 12. [Schiner].  
*fenestratus* Bigot, Ann. Soc. Ent. Fr. 1878, 424.—Colombia.  
*lugubris* Macquart, Dipt. Exot. Suppl. i, 64 (*Dasygogon*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 373.—Venezuela.  
*L. anthracinus* Loew, \*Bemerk. Fam. Asil. 12. [Schiner].  
? *Dasygogon fallax* Macquart, Dipt. Exot. Suppl. i, 63, pl. vii, fig. 5.—Colombia. [Schiner].  
*mallophoroides* Walker, Dipt. Saund. 104, pl. iv, fig. 2 (*Morimna*).—Columbia.  
? *L. lugubris* Macquart. [Schiner, verh.-zool.-bot. Gesellsch. xvii, 574].  
*transiens* Walker, List, ii, 364 (*Dasygogon*); vi, 429 (*Morimna*).—Venezuela.

#### ALLOPOGON.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 670, 1866.

*ferrugineus* E. Lynch A., Asilides Arg. 63.—Argentina.  
*Heydenii* Jaenicke, Neue Exot. Dipt. 48, pl. ii, fig. 1 (*Dasygogon*); E. Lynch A., An. Soc. Cient. Arg. ix, 29 (id.); x, 189.—Corrientes.  
*infumatus* E. Lynch A., An. Soc. Cient. Arg. x, 183, 44; xi, 17.—Argentina.  
*necans* Wiedemann, Auss. Zw. Ins. i, 392 (*Dasygogon*); Walker, List, etc., vi, 446 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678.—Brazil.



- tessellatus* Wiedemann, Auss. Zw. Ins. i, 390 (*Dasypogon*); Walker, List, etc., vi, 447 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678; E. Lynch A., An. Soc. Cient. Arg. viii, 147.—Montevideo.
- vittatus* Wiedemann, Auss. Zw. Ins. i, 389 (*Dasypogon*); Walker, List, etc., vi, 446 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678; E. Lynch A., An. Soc. Cient. Arg. viii, 146; x, 181 —Montevideo, Uruguay.
- Dasypogon longiungulatus* Macquart, Dipt. Exot. i, 2, 36, pl. iii, fig. 6; Walker, List, etc., vi, 436; Bigot, An. Soc. Ent. Fr. 1857, 549 (*Macronix*). [Lynch].
- Dasypogon annulitarsis* Rondani, Dipt. Aliqua, etc., 9, 24; E. Lynch A., An. Soc. Cient. Arg. ix, 20. [Lynch].
- Allopogon gracile* Bigot, Ann. Soc. Ent. Fr. 1878, 418. [Lynch].

### CÆNOROLIA.

Thomson, Eugenie Resa, 470, 1868.

- longipennis* Thomson, Eugenie Resa, 471.—Brazil.
- Miles* Wiedemann, Auss. Zw. Ins. i, 393 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678 (id.); Thomson, Eugenie Resa, 471.—Brazil.

### SARAPOGON.

Loew, Linn. Ent. ii, 439, 1847.

- argyrocinctus* Schiner, Verh. zool.-bot. Gesellsch. xvii, 370.
- cyanogaster* Loew, Bemerk. Fam. Asil.—Chili.
- fraternus* Bigot, Ann. Soc. Ent. Fr. 1878, 414.—Chili.
- Gayi* Macquart, Dipt. Exot. i, 2, 37 (*Dasypogon*); Blanchard, Gay's Hist. Chili, vii, 365, pl. iii, fig. 1 (id.); Philippi, Verh. zool.-bot. Gesellsch. xv, 685 (id.).—Chili.
- S. chalybeiventris* Loew, Bemerk. Fam. Asil.—Chili. [Schiner].
- hyacinthus* Bigot, Ann. Soc. Ent. Fr. 1878, 413.—Chili.
- nigrinasutus* Bigot, Ann. Soc. Ent. Fr. 1878, 414.—Chili.
- pictus* Philippi, Verh. zool.-bot. Gesellsch. xv, 681 (*Dasypogon*).—Chili.
- perniger* Schiner, Novara Exped. 166.—Chili.

### CYRTOPHRYS.

Loew, Bemerk. Fam. Asil. 1851.

- \**attennatus* Loew, Bemerk. Fam. Asil.—Chili.

### NEOLAPARUS.

- Williston, Psyche, 255, 1889; *Laparus* Loew, Bemerk. Fam. Asil. 1851, non Billberg, 1820.
- argentinus* v. d. Wulp, Tijdschr. v. Ent. xxv, 95 (*Laparus*).—Argentina.
- tabidus* Loew, Bemerk. Fam. Asil. 4; Diptf. Südafrikas, 67 (*Laparus*). Cape of Good Hope? Brazil?

### SENOBASIS.

- Macquart, Dipt. Exot. i, 2, 52, 1838; *Lochites* Schiner, Verh. zool.-bot. Gesellsch. xvi, 671, 1866; Novara Exped. 163, 1868, non Cabanis, 1859, nec Foerster, 1857. [Williston, Psyche, 1889, 255].
- analis* Macquart, Dipt. Exot. i, 2, 53, pl. v, fig. 1.—Brazil.

- apicalis** Schiner, Verh. zool.-bot. Gesellsch. xvii, 370 (*Lochites*).—Brazil.  
**asiloides** Bigot, An. Soc. Ent. Fr. 1878, 426 (*Lochites*).—Brazil.  
**claripennis** Schiner, Verh. zool.-bot. Gesellsch. xvii, 369 (*Lochites*).—Brazil.  
**fenestrata** Macquart, Dipt. Exot. i, 2, 53.—Brazil. [“Tibias antérieures sans ergot.”]  
**fulvus** Bigot, Ann. Soc. Ent. Fr. 1878, 426 (*Lochites*).—Amazon.  
**gyrophorus** Schiner, Novara Exped. 164, pl. ii, fig. 10 (*Lochites*).—Brazil.  
**modestus** Bigot, Ann. Soc. Ent. Fr. 1878, 427.—Amazon.  
**nigriventris** Bigot, Ann. Soc. Ent. Fr. 1878, 427 (*Lochites*).—Chili.  
**ornatus** Wiedemann, Zool. Mag. iii, 49 (*Laphria*); Dipt. Exot. i, 2, 22 (*Dasypogon*);  
 Auss. Zw. Ins. i, 386, 585 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi,  
 677 (*Lochites*); xvii, 369 (id.).—Brazil.  
**staurophorus** Schiner, Novara Exped. 165 (*Lochites*).—Colombia.

## DEROMYIA.

- Philippi, Verh. zool.-bot. Gesellsch. xv, 705, 1865; *Digomites* Loew, Centur. ii, 36, 1866.  
**atrata** Bigot, Ann. Soc. Ent. Fr. 1878, 415 (*Diogmites*).—Brazil.  
**brunnea** Fabricius, Mant. Ins. ii, 359 (*Asilus*); Ent. Syst. iv, 382 (id.); Syst. Antl. 165 (*Dasypogon*); Wiedemann, Dipt. Exot. i, 219 (id.); Auss. zw. Ins. i, 383 (id.); Macquart, Dipt. Exot. i, 2, 34 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 677 (id.); Walker, List, etc., vi, 421 (id.); Bellardi, Saggio, ii, 67 (*Sarapogon*).—Mexico (Bell.), Philadelphia (Macq.), Cayenne.  
**Duillius** Walker, List, ii, 340 (*Dasypogon*); Osten Sacken, Biol. Centr.-Amer. 178 (*Diogmites*).—Honduras, South America.  
**fascipennis** Blanchard, Gay's Hist. fis. y pol. de Chile, vii, 371, pl. i, fig. 6 (*Gonypus*); Philippi, Verh. zool.-bot. Gesellsch. xv, 705.—Chili.  
**fulvipes** Philippi, Verh. zool.-bot. Gesellsch. xv, 706.—Chili.  
**gracilis** Philippi, Verh. zool.-bot. Gesellsch. xv, 706, pl. xxvi, fig. 29.—Chili.  
**Lindigii** Schiner, Novara Exped. 165 (*Dasypogon*); Osten Sacken, Biol. Centr.-Amer. 174 (*Diogmites*).—Panama, South America.  
**? notata** Bigot, Ann. Soc. Ent. Fr. 1878, 416 (*Diogmites*).—Amazon.  
**placida** v. d. Wulp, Tijdschr. v. Ent. xxv, 94.—Argentina.  
**ruftarsis** Bigot, Ann. Soc. Ent. Fr. 1878, 416 (*Diogmites*).—Brazil.  
**Weyenberghii** v. d. Wulp, Tijdschr. v. Ent. xxv, 93.—Argentina.  
**Win'hemi** Wiedemann, Dipt. Exot. i, 223; Auss. zw. Ins. i, 387 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678 (id.); v. d. Wulp, Tijdschr. v. Ent. xxv, 93.—South America.  
**? Diogmites misellus** Loew, Centur.; Williston, Trans. Am. Ent. Soc. xi, 24.—North America.

## BLEPHAREPIUM.

- Rondani, Studi Entom. i, 89, 1848; *Planetolestes* E. Lynch A., An. Soc. Cient. Arg. xi, 22, 72, 1881.  
**auricinctum** Schiner, Verh. zool.-bot. Gesellsch. xvi, 371 (*Senobasis*).—Brazil, Surinam.  
**coarctatum** Perty, \*Delectus, etc., 181, pl. xxxvi, fig. 4 (*Laphria*); Walker, List, etc., vi, 504 (*Dasypogon*); E. Lynch A., An. Soc. Cient. Arg. viii, 147 (*Planetolestes*), xi, 24; v. d. Wulp, Tijdschr. v. Ent. xxv, 88.—Brazil, Buenos Aires, Cuba, Mexico.

*Dasygogon Bonariensis* Macquart, Dipt. Exot. i, 2, 194; Walker, List, vi, 439. [Lynch].

? *Blepharepium luridum* Rondani, Studi Entom. 89.

*Dasygogon subcontractus* Walker, Dipt. Saund. 455.—Amazon.

*Senobasis annulatus* Bigot, La Sagra's Hist. Cuba, 789, pl. xx, fig. 3; Osten Sacken, Bull. Buff. Soc. Nat. Sci. 1874, 184; Cat. Dipt. 72 (*Diognites*).

*Dasygogon secabilis* Walker, Trans. Ent. Soc. (2), v, 276; Bellardi, Saggio, ii, 63, pl. i, fig. 4; Schiner, Verh. zool.-bot. Gesellsch. xvi, 701 (*Senobasis*); Osten Sacken, Biol. Centr.-Amer. 171 (*Planetolestes*). [Lynch].

#### PHONICOCLEPTES.

E. Lynch A., An. Soc. Cient. Arg. xi, 18, 1881.

Busiris E. Lynch A., An. Soc. Cient. Arg. xi, 21.—Buenos Aires.

#### DASYPOGON.

Meigen, Class. Besch. 1804.

*Sensu late.*

*Aedon* Walker, List, ii, 343.—Venezuela.

*castaneus* Macquart, Dipt. Exot. i, 2, 35.—Brazil.

*castigans* Walker, Dipt. Saund. 89.—South America.

*costalis* E. Lynch A., An. Soc. Cient. Arg. ix, 29 (12).—Argentina.

*coffeatus* Wiedemann, Zool. Mag. iii, 49; Dipt. Exot. i, 217; Auss. zw. Ins. i, 374; Schiner, Verh. zool.-bot. Gesellsch. xvi, 676.—Brazil.

*crassitarsis* Macquart, Dipt. Exot. i, 2, 33.—Brazil.

*equestris* Wiedemann, Auss. Ins. i, 392; Schiner, Verh. zool.-bot. Gesellsch. xvi, 678.—Brazil.

*examinans* Walker, Dipt. Saund. 90.—Para.

*eburnus* Walker, List, iii, 332.—Para.

*flavipennis* Wiedemann, Auss. zw. Ins. i, 376; Schiner, Verh. zool.-bot. Gesellsch. xvi, 676.—Brazil, Colombia.

*flavipennis* Macquart, Dipt. Exot. Suppl. i, 64, pl. vii, fig. 4.—Colombia.

*fraternus* Macquart, Dipt. Exot. Suppl. i, 63.—Brazil.

*grandis* Macquart, Dipt. Exot. Suppl. i, 63, pl. vi, fig. 8.—Brazil.

*inclusus* Walker, Dipt. Saund. 95.—Para.

*insertus* Walker, Dipt. Saund. 94.—South America.

*intactus* Wiedemann, Auss. Zw. Ins. i, 371; Schiner, Verh. zool.-bot. Gesellsch. xvi, 676.—South America.

*Lebasii* Macquart, Dipt. Exot. i, 2, 38.—Colombia.

*maculipennis* Macquart, Dipt. Exot. i, 2, 37, pl. iii, fig. 8.—Brazil.

*melaleucus* Schiner, Novara Exped. 165.—South America.

*melanogaster* Wiedemann, Dipt. Exot. i, 215; Auss. Zw. Ins. i, 368; Macquart, Hist. Nat. Dipt. i, 294; Dipt. Exot. i, 2, 85; Walker, List, vi, 450; Schiner, Verh. zool.-bot. Gesellsch. xvi, 675.—Brazil.

*miser* Walker, List, vi, 433.—Brazil.

*princeps* Macquart, Dipt. Exot. Suppl. iii, 19, pl. i, fig. 14.—Brazil.

*pumilus* Macquart, Dipt. Exot. i, 2, 37.—Brazil.

*rapax* Walker, Dipt. Saund. 88.—South America.

*rufipalpis* Macquart, Dipt. Exot. i, 2, 38, pl. iii, fig. 2.—Cayenne?

*rufiventris* Wiedemann, Dipt. Exot. i, 223; Auss. Zw. Ins. i, 388; Schiner, Verh. zool.-bot. Gesell. xvi, 678; Walker, List, vi, 503 ("var.").—Para.

## II.—LAPHRINÆ.

A.—*Tibiæ anticæ calcaratæ.*

## PSEUDORUS.

Walker, Dipt. Saund. 103, 1850.

*piceus* Walker, Dipt. Saund. 103, pl. iv, fig. 5; Williston, Psyche, 1889, 256.—South America.

## DORYCLUS.

Jaennicke, Neue Exot. Dipt. 58; Abhand. Senck. Gesellsch. vi, 366, 1867; *Ampyx* Walker, List, etc., 564, 1855 (preoc.).

*distendens* Wiedemann, Auss. Zw. Ins. i, 571 (*Asilus*); Jaennicke, Neue Exot. Dipt. 366, pl. xlv, fig. 3; Roeder, Berl. Entom. Zeit. xxxi, 77; Williston, Psyche, 1889, 256.—Brazil, Mexico.

*Megapoda crassitarsis* Macquart, Dipt. Exot. Suppl. i, 70, pl. vii, fig. 11 (male).—Brazil. [Roeder.]

*Megapoda cyaneiventris* Macquart, Dipt. Exot. Suppl. i, 71, pl. vii, fig. 12 (female).—Mexico. [Roeder.]

*Ampyx varipennis* Walker, List, etc., vii, 564; Osten Sacken, Biol. Centr.-Amer. 182 (male).—Brazil, Mexico.

*Doryclus latipes* v. d. Wulp, Tijdschr. v. Ent. (2) v, 215, pl. ix, figs. 7-12 (female).—Surinam. [Roeder.]

## MEGAPODA.

Macquart, Hist. Nat. des. Ins. i, 288, 1834:

*Guentherii* E. Lynch A., Asil. Arg. 98 (*Doryclus*).—Buenos Aires. [*Doryclus* ?] *labiata* Fabricius, Syst. Antl. 160 (*Laphria*); Wiedemann, Dipt. Exot. i, 232 (id.); Auss. Zw. Ins. i, 499 (id.); Macquart, Hist. Nat. Dipt. i; Dipt. Exot. i, 2, 59, pl. v, fig. 3; Schiner, Verh. zool.-bot. Gesellsch. xvi, 690; Roeder, Berl. Ent. Zeit. xxxi, 689, 78.—Brazil.

\**Dasypogon rufimanus* Perty, Del. Anim. Art. 181, pl. xxxvi, fig. 6. [Walker.]

*M. cyanea* Macquart, Hist. Nat. Dipt. i, 288.—Brazil.

*rufiventris* Roeder, Berl. Ent. Zeit. xxxi, 78.—Amazon.

B.—*Tibiæ anticæ non calcaratæ.*

a.—*Venulæ exteriores cellularum discalis et posterioris quartæ conjunctæ et rectæ aut parallelæ.*

## EUMECOSOMA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 673, 1866.

*dichroma* Bigot, Ann. Soc. Ent. Fr. 1878, 236.—Brazil.

*metallescens* Schiner, Novara Exped. 171.—South America.

*pleuritica* Wiedemann, Auss. Zw. Ins. i, 527 (*Laphria*); Walker, List, vii, 568 (*Atomosia*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 673, 693.—Brazil.

*staurophora* Schiner, Novara Exped. 172.—South America.

## ATOMOSIA.

Macquart, Dipt. Exot. i, 2, 73, 1838; *Cormansis* Walker, Dipt. Saund. 154, 1851.

*affinis* Macquart, Dipt. Exot. Suppl. iv, 75.—Brazil.

*appendiculata* Macquart, Dipt. Exot. Suppl. i, 76, pl. viii, fig. 1.—Cayenne.

- ancylocera* Schiner, Nov. Exped. 170.—South America. [*Atonia* ?].  
*annulipes* Macquart, Dipt. Exot. i, 2, 74.—Brazil.  
*argyrophora* Schiner, Novara Exped. 169.—Brazil.  
*Beckeri* Jaennicke, Neue Exot. Dipt. 51 (359); E. Lynch A., An. Soc. Cient. Arg. ix, 52, sep. 19.—Mexico, Buenos Aires?  
*brevicornis* Macquart, Dipt. Exot. i, 2, 76.—Brazil.  
*\*cyanescens* Rondani, Studi, Entom.—Brazil.  
*cyanescens* Bigot, Ann. Soc. Ent. Fr. 1878, 235 (*Cormansis*).—Chili.  
*dispar* Walker, List, etc., vii, 570.—Santarem.  
*geniculata* Wiedemann, Auss. Zw. Ins. i, 528 (*Laphria*); Dipt. Exot. i, 241 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 693; Novara Exped. 169; v. d. Wulp, Tijdschr. v. Ent. xxv, 105.—Brazil, Argentina.  
*limbata* Macquart, Hist. Nat. Dipt. i, 287 (*Laphria*).—Cayenne.  
*limbiventris* Thomson, Eugenes Resa, 466.—Montevideo.  
*modesta* Philippi, Verh. zool.-bot. Gesellsch. xv, 685 (*Laphria*).—Chili.  
*nigripes* Macquart, Dipt. Exot. i, 2, 74.—Brazil.  
*nigroænea* Walker, Dipt. Saund. 154.—Columbia.  
*pilipes* Thomson, Eugenes Resa, 465; E. Lynch A., An. Soc. Cient. Arg. ix, 52, sep. 19; v. d. Wulp, Tijdschr. v. Ent. xxv, 105.—Buenos Aires.  
*tibialis* Macquart, Dipt. Exot. Suppl. i, 76; v. d. Wulp, Tijdschr. v. Ent. xxv, 105.—Yucatan, Columbia.  
*unicolor* Macquart, Dipt. Exot. i, 2, 74; pl. vii, figs. 2, 3.—Brazil.  
*venustula* E. Lynch A., An. Soc. Cient. Arg. ix, 50, sep. 17; v. d. Wulp, Tijdschr. v. Ent. xxv, 106.—Argentina.  
*viduata* Wiedemann, Zool. Mag. iii, 50; Dipt. Exot. i, 241; Auss. Zw. Ins. i, 528 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 378.—Brazil.  
*xanthopus* Wiedemann, Auss. Zw. Ins. i, 529 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 693; v. d. Wulp, Tijdschr. v. Ent. xxv, 105.—Brazil. Guanajuata.

#### RHATHITHOMYIA.

E. Lynch A., Asil. Arg. 104, An. Soc. Cient. Arg. xi, 1881.

*nitidula* E. Lynch A., Asil. Arg. 106.—Argentina.

#### APHESTIA.

Schiner, Verh. zol.-bot. Gesellsch. xvi, 673, 1866.

*brasiliensis* Schiner, Verh. zool.-bot. Gesellsch. xvii, 378.—Brazil.

*calceata* Schiner, Verh. zool.-bot. Gesellsch. xvii, 379.—Brazil.

#### ATONIA.

Williston, Psyche, 1889, 257.

? *ancylocera* Schiner, Novara Exped. 170 (*Atomosia*).—South America.

#### CEROTAINIA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 673, 1866; *Ceratotænia* E. Lynch A., An. Soc. Cient. Arg. ix, 52, sep. 19, 1880.

*argyropus* Schiner, Novara Exped. 170.—Colombia.

*aurata* Schiner, Novara Exped. 171.—Colombia.

*bella* Schiner, Verh. zool.-bot. Gesellsch. xvii, 380.—Brazil.

**brasiliensis** Schiner, Verh. zool.-bot. Gesellsch. xvii, 379.—Brazil.  
**propinqua** Schiner, Novara Exped. 171.—Colombia  
**rhopalocera** E. Lynch A., An. Soc. Cient. Arg. ix, sep. 101.—Argentina.  
**violaceithorax** E. Lynch A., An. Soc. Cient. Arg. ix, 52, sep. 19.—Buenos Aires.

## CYPHOTOMYIA.

Williston, Psyche, 1889, 257.

**Lynchii** Williston, Psyche, 1889, 258.—Brazil.

## LAMPROZONA.

Loew, Bemerk. Fam. Asil. 1851.

**auricincta** Loew, Bemerk. Fam. Asil. 18; Schiner, Novara Exped. 171.—Chili.  
**castaneipes** Bigot, An. Soc. Ent. Fr. 1878, 234.—Chili.

b.—*Venæ exteriores cellularum discalis et posterioris quartæ  
 nec conjunctæ nec parallelæ.*

## DASYLLIS.

Loew, Bemerk. Fam. Asil. 20, 1851.

**albicollis** Bigot, An. Soc. Ent. Fr. 1878, 229.—South America.  
**croceiventris** Wiedemann, Dipt. Exot. i, 234 (*Laphria*); Auss. Zw. Ins. i, 503  
 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 691.—Brazil.  
**fascipennis** Macquart, Hist. Nat. Dipt. i, 284 (*Laphria*).—Central America,  
 Cayenne.  
*Laphria praeptens* Macquart, Dipt. Exot. Suppl. i, 74, pl. vii, fig. 17; Schiner,  
 Novara Exped. 172 [Loew, in Osten Sacken, Cat. Dipt. 75.]  
**hæmorrhœa** Wiedemann, Auss. Zw. Ins. ii, 645 (*Laphria*); Schiner, Verh. zool.-  
 bot. Gesellsch. xvi, 694.—Bahia.

## LAPHRIA.

Meigen, Illiger's Magaz. ii, 1803; *Chaerades* Walker, Dipt. Saund. 109, 1856.

*Sensu lat.*

**albolineata** Macquart, Dipt. Exot. Suppl. iv, 74.—Bolivia.  
**albitibia** Macquart, Dipt. Exot. Suppl. iii, 25, pl. ii, fig. 6.—Brazil.  
**albitibialis** Macquart, Dipt. Exot. Suppl. ii, 38.—Brazil. [= *albitibia*; fide  
 Walker, List, etc., vii, 535.]  
**antica** Wiedemann, Auss. Ins. i, 530.—Brazil. [*Atomosia*?]  
**bimaculata** Walker, List, etc., vii, 531, 534, 550.—Amazon.  
**bipars** Walker. [Schiner.]  
**calogastra** Philippi Verh. zool.-bot. Gesellsch. xv, 684.—Chili.  
**contusa** Wiedemann, Auss. Zw. Ins. i, 587.—Brazil.  
**dasypus** Wiedemann, Auss. Zw. Ins. i, 527; Walker, List, vii, 568.—Brazil.  
 [*Atomosia*? *Atractia*?]  
**dichroa** Wiedemann, Auss. Zw. Ins. i, 526.—Brazil.  
**dentipes** Fabricius. [Schiner.]  
**laticornis** Walker, List, vii, 535.—Para.  
**melanura** Wiedemann, Auss. Zw. Ins. i, 508; Macquart, Dipt. Exot. i, 2, 67;  
 Schiner, Verh. zool.-bot. Gesellsch. xvi, 691.—Brazil.  
**mellipes** Wiedemann, Auss. Zw. Ins. i, 526.—Brazil.

- minuta* Wiedemann, Auss. Zw. Ins. i, 530.—Brazil. [*Atractia?* *Atomosia?*].  
*Olbus* Walker, List, ii, 375, vii, 530; Macquart, Dipt. Exot. Suppl. v, 53; Schiner, Novara Exped. 173.—Guatemala, Honduras, South America. "Not a *Laphria*," Osten Sacken, Biol. Centr.-Amer. 186.  
*pilipes* Macquart, Hist. Nat. Dipt. i, 282.—Brazil.  
*proxima* Walker, List, vii, 537.—Para.  
*pusilla* Wiedemann, Auss. Zw. Ins. i, 532.—Brazil.  
*rufipennis* Wiedemann, Auss. Zw. Ins. i, 522; Macquart, Dipt. Exot. Suppl. i, 73, iii, 24; Schiner, Verh. zool.-bot. Gesellsch. xvi, 692; xvii, 380.—Cayenne, Brazil.  
*scoriacea* Wiedemann, Auss. Zw. Ins. i, 529.—Brazil. [*Atomosia?* *Atractia?*]  
*transatlantica* Schiner, Novara Exped. 173.—South America.  
*venezuelensis* Macquart, Dipt. Exot. Suppl. i, 74, pl. vii, fig. 15.—Colombia, Venezuela.  
*violacea* Macquart, Dipt. Exot. Suppl. i, 74.—Colombia.

## LAMPRIA.

Macquart, Dipt. Exot. i, 2, 60, 1838.

- bicolor* Wiedemann, Auss. Zw. i, 522 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 692, 709; Williston, Trans. Amer. Ent. Soc. xi, 32.—North America, Brazil. [Schiner.]  
*bitincta* Walker, Trans. Entom. Soc. v, 276.—Amazon.  
*clavipes* Fabricius, Syst. Antl. 162 (*Laphria*); Wiedemann, Dipt. Exot. i, 237 (id.); Auss. Zw. Ins. i, 513 (id.); Schiner, Novara Exped. 174; Verh. zool.-bot. Gesellsch. xvi, 691; Macquart, Dipt. Exot. i, 2, 61, non Suppl. iii, 22; Walker, List, vii, 510; v. d. Wulp, Tijdschr. v. Ent. xxv, 104; Osten Sacken, Biol. Centr.-Amer. 186; non Bellardi, Saggio.—Brazil, Panama.  
*cilipes* Walker, Trans. Entom. Soc. iv, 127.—Amazon.  
*dives* Wiedemann, Auss. Zw. Ins. i, 524 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 692.—Brazil.  
*fulgida* Schiner, Novara Exped. 174.—Brazil.  
*Macquartii* Perty, \*Delectus (*Laphria*); Walker, List, vii, 511.—Brazil.  
*parvula* Bigot, Ann. Soc. Ent. Fr. 1878, 237.—Brazil.  
*pusilla* Macquart, Dipt. Exot. i, 2, 68 (*Laphria*).—Brazil.  
*scapularis* Bigot, Ann. Soc. Ent. Fr. 1878, 237.—Para.  
*spinipes* Fabricius, Syst. Antl. 162 (*Laphria*); Wiedemann, Dipt. Exot. i, 240 (id.); Auss. Zw. Ins. i, 525 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 692; Osten Sacken, Biol. Centr.-Amer. 187.—Brazil, Central America.  
*Laphria affinis* Fabricius Syst. Antl. 163.  
*Tolmides* Walker, List, ii, 377 (*Laphria*).—South America.

## MAIRA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 673, 1866.

- splendens* Macquart, Hist. Nat. Dipt. i, 286 (*Laphria*); Schiner, Novara Exped. 157.—Surinam.

## ANDRENOSOMA.

- Rondani, Dipt. Ital. Prodr. i, 160, 1856; *Nusa* Walker, Dipt. Saund. 108, 1854.  
*Amandus* Walker, List, ii, 373 (*Laphria*).—Brazil.

- appendiculata* Macquart, Dipt. Exot. Suppl. i, 75, pl. vii, fig. 18 (*Laphria*).—Cayenne.
- clausicella* Macquart, Dipt. Exot. Suppl. iv, 74, pl. vii, fig. 7 (*Laphria*).—Guiana
- erythrogaster* Wiedemann, Auss. Zw. Ins. i, 523 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 382.—Brazil.
- erythropysga* Wiedemann, Auss. Zw. Ins. i, 609 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 691; v. d. Wulp, Tijdschr. v. Ent. xxv, 104.—Brazil.
- fulvicauda* Say, J. Acad. Phil. iii, 53, pl. vi, Compl. Wr. i, 12 (*Laphria*); Williston, Trans. Amer. Ent. Soc. xi, 33.—North and South America.
- Laphria pyrrhacra* Wiedemann, Auss. Zw. Ins. i, 517; Schiner, Novara Exped. 175.
- laticornis* Walker, List, vii, 535 (*Laphria*).—Para.
- maculipennis* Macquart, Dipt. Exot. Suppl. i, 73, pl. vii, fig. 14 (*Laphria*).—Guiana.
- mesoxantha* Wiedemann, Auss. Zw. Ins. i, 513 (*Laphria*); Macquart, Dipt. Exot. i, 2, 67 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 691.—Brazil.
- pygophora* Schiner, Novara Exped. 175.—South America.
- pyrrhopyga* Wiedemann, Auss. Zw. Ins. i, 515 (*Laphria*); Schiner, Verh., zool.-bot. Gesellsch. xvi, 691.—Brazil.
- purpurascens* Walker, Dipt. Saund. 457 (*Laphria*.—Amazon.
- rufiventris* Blanchard, Gay, Hist. Nat. y pol. de Chile, vii, 364, pl. i, fig. 5 (*Laphria*); Schiner, Novara Exped. 176.—Chili.
- xanthocnema* Wiedemann, Auss. Zw. Ins. i, 509 (*Laphria*); Macquart, Dipt. Exot. i, 2, 67 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 691; v. d. Wulp, Tijdschr. v. Ent. xxv, 104.—Brazil, West Indies. [Macquart.]

## ASICYA.

E. Lynch A., An. Soc. Cient. Arg. ix, 224, sep. 24, 1880.

*fasciata* E. Lynch A., An. Soc. Cient. Arg. ix, 227, sep. 27.—Buenos Aires.

## DASYTHRIX.

Loew, Bemerk. Fam. Asil. 21, 1851.

*heteroneura* Macquart, Dipt. Exot. i, 2, 70, pl. vi, fig. 3.—“Arabia? Brazil?”

\**inornata* Loew, Bemerk. Fam. Asil.—South America.

*leucophæa* E. Lynch A., An. Soc. Cient. Arg. ix, 55, sep. 22.—Buenos Aires.

## LYCOMYIA.

Bigot, Ann. Soc. Ent. Fr. (3), v, 298, 1857.

*Germainii* Bigot, Ann. Soc. Ent. Fr. (3), v, 290, pl. vi, fig. 3; Philippi, Verh. zool.-bot. Gesellsch. xv, 694; Schiner, Novara Exped. 169.—Chili.

## RHOPALOGASTER.

Macquart, Hist. Nat. Dipt. i, 279, 1834.

*longicornis* Wiedemann, Auss. Zw. Ins. i, 519 (*Laphria*); Macquart, Hist. Nat. Dipt. i, 279; Dipt. Exot. i, 2, 72; Schiner, Verh. zool.-bot. Gesellsch. xvi, 693.—Brazil.

## LAPHYSTIA.

Loew, Linn. Ent. iii, 538, 1847.

*columbina* Schiner, Novara Exped. 175.—Colombia.



## NEOPHONEUS.

Williston, *Psyche*, 1889, 255; *Phoneus* Macquart, *Dipt. Exot.* i, 2, 79, 1838 (preoc.).  
*Servillei* Macquart, *Dipt. Exot.* i, 2, 79, pl. vii, fig. 3.—Brazil.

## III.—ASILINÆ.

## MALLOPHORA.

Macquart, *Hist. Nat. Dipt.* i, 301, 1834.

- affinis* Schiner, *Novara Exped.* 176.—Rio Negro.  
*albifrons* Walker, *Zool.* iii, App. xcviii.—South America.  
*\*alecto* Rondani, *Studi Trugin.*—Brazil.  
*argentipes* Macquart, *Dipt. Exot.* i, 2, 88.—Guinea.  
*atra* Macquart, *Hist. Nat. Dipt.* i, 302.—Brazil.  
*auromystacea* Macquart, *Dipt. Exot. Suppl.* v, 55.—South America.  
*aurotestacea* Macquart.  
*barbipes* Wiedemann, *Zool. Mag.* iii, 48 (*Laphria*); *Dipt. Exot.* i, 2, 39 (id.);  
 Auss. *Zw. Ins.* i, 481; Schiner, *Verh. zool.-bot. Gesellsch.* xvi, 688.—  
 Brazil. [Promachus?]  
*Belzebul* Schiner, *Verh. zool.-bot. Gesellsch.* xvii, 385.—Brazil.  
*Bergii* E. Lynch A., *Asil. Arg.* 35.—Uruguay.  
*Bigotii* E. Lynch A., *Cat.* 146.—Buenos Aires.  
*M. soccata* (Thoms.), E. Lynch A., *Asil. Arg.* 35.  
*breviventris* Macquart, *Dipt. Exot. Suppl.* iv, 77, pl. viii, fig. 7.—Brazil.  
*calceata* Schiner, *Verh. zool.-bot. Gesellsch.* xvi, 711.—Brazil. [Nomen nudum?]  
*calida* Fabricius, *Ent. Syst.* iv, 380 (*Asilus*); *Syst. Antl.* 159 (*Laphria*); Wiede-  
 mann, *Dipt. Exot.* i, 210 (*Asilus*); Auss. *Zw. Ins.* i, 482 (id.); Schiner,  
*Verh. zool.-bot. Gesellsch.* xvi, 688; xvii, 384.—Brazil, Cayenne.  
*candens* Walker, *Dipt. Saund.* 117 (*Trupanea*); List, vii, 583.—Para.  
*ciliata* Walker, *Dipt. Saund.* 112.—? South America.  
*cinerascens* Walker, List, vii, 581.—Para.  
*cœruleiventris* Thomson, *Eugenies Resa*, 467.—Callao.  
*contraria* Walker, *Dipt. Saund.* 113.—South America.  
*cruralis* Rondani, *Arch. per la zool. etc.*, 1863, 46.—Guiana.  
*Mallophora tibialis* Macquart, *Dipt. Exot. Suppl.* i, 77, pl. viii, fig. 3. [Nomen  
 bis lectum.]  
*fascipennis* Macquart, *Dipt. Exot. Suppl.* iv, 75.—Brazil.  
*Freycinetii* Macquart, *Dipt. Exot.* i, 2, 85, *Suppl.* i, 77.—Brazil, Colombia.  
*geniculata* Macquart, *Dipt. Exot.* i, 2, 87; Schiner, *Verh. zool.-bot. Gesellsch.*  
 xvii, 384.—South America.  
*infernalis* Wiedemann, *Dipt. Exot.* i, 202 (*Asilus*); Auss. *Zw. Ins.* i, 475 (*Asilus*);  
 Perty, *Delectus*, etc., 181 (id.); Macquart, *Hist. Nat. Dipt.* i, 301, pl. vii,  
 fig. 7; Schiner, *Verh. zool.-bot. Gesellsch.* xvi, 687; ? Bellardi, *Saggio*,  
 ii, 21; ? Osten Sacken, *Biol. Centr.-Amer.* 189.—Brazil, ? Mexico.  
*Lampon* Walker, List, ii, 388.—Brazil.  
*laphroides* Wiedemann, Auss. *Zw. Ins.* i, 403 (*Asilus*); Bigot, *Ann. Soc. Ent.*  
*Fr.* 1857, 542 (*Megaphorus*); Williston, *Trans. Amer. Ent. Soc.* xi, pl. ii,  
 fig. 11, xii, 59.—North America.  
*M. heteroptera* Macquart, *Dipt. Exot.* i, 2, 90, pl. viii, fig. 3; Bigot, *Ann. Soc.*  
*Ent. Fr.* 1857, 542 (*Megaphorus*); Schiner, *Verh. zool.-bot. Gesellsch.*  
 xvii, 387.—Brazil.

*Leschenaultii* Macquart, Dipt. Exot. i, 2, 86.—Lamana.

*lugubris* E. Lynch A., Asil. Arg. 30.—Misiones.

*minos* Wiedemann, Auss. Arg. Ins. i, 478 (*Asilus*); v. d. Wulp, Tijdschr. v. Ent. xxv, 106.—Argentina.

*nigrifemorata* Macquart, Dipt. Exot. i, 2, 90.—“Probablement le Bresil.”

*nigritarsis* Fabricius, Syst. Antl. 168 (*Dasygogon*); Wiedemann, Dipt. Exot. i, 208 (*Asilus*); Auss. Zw. Ins. i, 479 (id.); Macquart, Dipt. Exot. i, 2, 86; v. d. Wulp, Notes from the Leyden Museum, iv, 77; Tijdschr. v. Ent. xxv, 107; Schiner, Verh. zool.-bot. Gesellsch. xvi, 688, xvii, 386.—Brazil, Surinam.

? *M. nigrifemorata* Macquart, [vide supra.]

*nigriventris* Jaennicke, Neue Exot. Dipt. 53; E. Lynch A., Asil. Arg. 32.—Paraguay.

*opposita* Walker, Dipt. Saund. 112; Schiner, Verh. zool.-bot. Gesellsch. xvii, 385.—Brazil.

*pluto* Wiedemann, Auss. Zw. Ins. i, 477 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 688; Novara Exped. 176; v. d. Wulp, Tijdschr. v. Ent. xxv, 106; Osten Sacken, Biol. Centr.-Amer. 190.—Argentina, Guatemala.

*purpurea* Walker, Zool. viii, App. xcvi (i) (*Trupanea*); List, vii, 584.—Parasantar.

*pusilla* Macquart, Dipt. Exot. i, 2, 88.—Brazil.

*robusta* Wiedemann, Auss. Zw. Ins. i, 478 (*Asilus*); Macquart, Dipt. Exot. Suppl. i, 78; v. d. Wulp, Tijdschr. v. Ent. xxv, 106.—Yucatan, Brazil.

*rufipes* Macquart, Dipt. Exot. Suppl. iv, 76.—Brazil.

*ruficauda* Wiedemann, Auss. Zw. Ins. i, 476 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 687; xvii, 386; E. Lynch A., Asil. Arg. 30; v. d. Wulp, Tijdschr. v. Ent. xxv, 106.—Argentina.

*M. soccata* Thomson, Eugenes Resa, i, 467. [E. Lynch A., Cat. 146 (38).]

*rufiventris* Macquart, Dipt. Exot. i, 2, 91.—“Patrie inconnue.”

*scopipeda* Rondani, Arch. per la Zool. 1863, 46.—Brazil, Cuba.

*Mallophora scopifer* Macquart (non Wiedemann), Dipt. Exot. i, 2, 89.

*M. Macquartii* Loew in Osten Sacken, Cat. Dipt. 78.

*scopifer* Wiedemann, Auss. Zw. Ins. i, 478 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 688; Novara, Exped. 176.—Colombia.

*scopitarsis* Rondani, Arch. per la Zool. 1863, 46.—Brazil.

*scutellaris* E. Lynch A., Asil. Arg. 33.—Misiones.

\**semiviolacea* Rondani, Studi Entom.—Brazil.

*singularis* Macquart, Dipt. Exot. i, 2, 87, pl. viii, fig. 4; Schiner, Verh. zool.-bot. Gesellsch. xvii, 387.—Guaratuba, Brazil.

\**socculata* Rondani, Studi Entom.—Brazil.

*Sylveirii* Macquart, Dipt. Exot. i, 2, 86.—Brazil.

*testaceipes* Macquart, Dipt. Exot. Suppl. iv, 76.—South America.

*testaceitarsis* Macquart, Dipt. Exot. Suppl. v, 54.—South America.

*tibialis* Macquart, Dipt. Exot. i, 2, 85; v. d. Wulp, Tijdschr. v. Ent. xxv, 107.—Brazil, Guiana, Cayenne.

*M. fascipennis* Macquart, Dipt. Exot. Suppl. iv, 75.—Brazil.

*M. fasciata* Walker, List, vii, 583; Dipt. Saund. 112. [Walker.]

*tisiphones* Rondani, Studi Ent. 1848; Arch. per la Zool. 1863, 47.

*M. rufipes* Macquart, Dipt. Exot. Suppl. iv, 76.—Brazil (nom. preoc.).

*tricolor* Walker, Zool. viii, App. xcvi (i).—Para. [“*M. Amphinome* var.?”]

*ventralis* Macquart, Dipt. Exot. i, 2, 91.—“Patrie inconnue.”

*xylocopides* Walker, Dipt. Saund. 111.—Para.

### PROMACHUS.\*

Loew, Linn. Ent. iii, 390, 1848; *Trupanea* Macquart, Dipt. Exot. i, 2, 1838, non Schrank. 1803.

*breviuscula* Walker, List, vii, 391.—Amazon region.

*captans* Walker, Dipt. Saund. 117.—South America.

*flavifasciatus* Macquart, Dipt. Exot. i, 2, 102, pl. ix, fig. 1 (*Trupanea*).—Brazil.

*fuscipennis* Macquart, Dipt. Exot. Suppl. i, 81 (*Trupanea*); Schiner, Novara Exped. 177; Bellardi, Saggio, ii, 24, pl. ii, fig. 1.—Mexico, South America.

*gracilis* Macquart, Dipt. Exot. i, 2, 102 (*Trupanea*).—Brazil.

*hirtiventris* Macquart, Dipt. Exot. Suppl. iv, 79, pl. viii, fig. 1 (*Trupanea*).—South America.

*incisuralis* Macquart, Dipt. Exot. i, 2, 107, Suppl. i, 80 (*Trupanea*).—Brazil.

*mitescens* Walker, Dipt. Saund. 118.—South America.

*nigripes* Macquart, Dipt. Exot. i, 2, 101 (*Trupanea*).—Brazil.

*nigripes* Fabricius, Ent. Syst. iv, 385 (*Asilus*); Syst. Antl. 171 (*Dasypogon*);

Wiedemann, Dipt. Exot. i, 209 (*Asilus*); Auss. Zw. Ins. i, 480 (id.);

Schiner, Verh. zool.-bot. Gesellsch. xvi, 688; xvii, 388.—Brazil.

*perfecta* Walker, Dipt. Saund. 120.—South America.

\**purpurea* Walker, Newman. Zool. Append. xcvi (*Trupanea*).—Para.

*quatourlineata* Macquart, Dipt. Exot. i, 2, 102 (*Trupanea*).—Rio Negro.

*substitutus* Walker, Dipt. Saund. 119.—South America.

*spissibarbis* Macquart, Dipt. Exot. Suppl. i, 80 (*Trupanea*).—Chili.

*trichonotus* Wiedemann, Auss. Zw. Ins. i, 490, 97 (*Asilus*); Loew, Linn. Ent.

iii, 407; Schiner, Verh. zool.-bot. Gesellsch. xvi, 689; xvii, 387; v. d.

Wulp, Tijdschr. v. Ent. xxv, 108.

*Wiedemanni* Schiner, Verh. zool.-bot. Gesellsch. xvii, 388.—Brazil.

### PROCTOPHORUS.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 674, 1866.

*connexus* Wiedemann, Auss. Zw. Ins. i, 497 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 689; E. Lynch A., Asil. Arg. 54.—Montevideo.

*melaleucus* Wiedemann, Auss. Ins. i, 498 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 690.

*pyrrhomystax* Wiedemann, Auss. Zw. Ins. i, 497 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 674, 690; xvii, 391.—Brazil.

### ERAX.

Macquart, Dipt. Exot. i, 2, 107, 1838.

*abdominalis* Wiedemann, Dipt. Exot. i, 185 (*Asilus*); Auss. Zw. Ins. i, 432 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 683.—South America.

*aestuans* Wiedemann (non Linné), Dipt. Exot. i, 200 (*Asilus*); Auss. Zw. Ins. i, 467 (id.); Macquart, Dipt. Exot. i, 2, 115; Bigot, in La Sagra, Hist. etc., 791; Williston, Trans. Amer. Ent. Soc. xii, 72.—North America, Brazil. [Macquart.]

---

\* *Sensu Trupaneæ* Macq., i.e., *Alcima*, *Philodicus* et *Promachus*, s. str. *includuntur*.

- auribarbis** Wiedemann, Dipt. Exot. i. 186 (*Asilus*); Auss. Zw. Ins. i. 437 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 683; v. d. Wulp, Tijdschr. v. Ent. xxv, 110.—Bahia.
- albescens** Schiner, Novara Exped. 180.—Chili.
- albispinosus** Macquart, Dipt. Exot. Suppl. iv. 84, pl. viii fig. 7.—South America.
- Amphissa** Walker, List, ii, 406.—Brazil.
- annulipes** Macquart, Dipt. Exot. Suppl. i. 83, pl. viii, fig. 8; Bigot, Ann. Soc. Ent. Fr. (3), v, 545 (*Pachychæta*).—Brazil.
- Bardyllis** Walker, List, ii.—Brazil.
- Bellardi** Schiner, Novara Exped. 182.—South America.
- Eristicus nigripes* Bellardi, Saggio, i, 48 (preoc.).—Mexico.
- bilineatus** v. d. Wulp, Tijdschr. v. Ent. xxv, 115.—Argentina.
- bimaculatus** Bellardi, Saggio, ii, 45, pl. x, fig. 11; Schiner, Novara Exped. 182.—Mexico, Columbia.
- cellatus** Schiner, Novara Exped. 181.—South America.
- chiliensis** Macquart, Dipt. Exot. Suppl. iv, 85, pl. viii, fig. 5; Blanchard, Gay's Hist. Chile, vii, 369.—Chili, Bolivia.
- cinereus** Philippi, Verh. zool.-bot. Gesellsch. xv, 693.—Chili.
- commiles** Walker, Dipt. Saund. 132.—South America.
- copulatus** Wiedemann, Zool. Mag. iii, 48; Dipt. Exot. i, 192 (*Asilus*); Auss. Zw. Ins. i, 457 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvii, 394.—Brazil.
- costatus** Schiner, Novara Exped. 181.—Colombia.
- culiciformis** Walker, List, vii, 632.—Brazil.
- demifasciatus** Macquart, Dipt. Exot. Suppl. i, 86.—Guiana.
- dilectus** Walker, List, vii, 632.—Brazil.
- flavianalis** Macquart, Dipt. Exot. Suppl. iii, 26, pl. ii, fig. 13; Bigot, Ann. Soc. Ent. Fr. 1855, 543 (*Eichoichemus*).—Brazil.
- flavidus** Macquart, Dipt. Exot. i, 2, 114; Walker, List, etc., vii, 625, 637; Schiner, Verh. zool.-bot. Gesellsch. xvi, 713; E. Lynch A., An. Soc. Cient. Arg. x, 119 (50).—Uruguay.
- flavofasciatus** Wiedemann, Auss. Zw. Ins. i, 470 (*Asilus*); Walker, List, ii, 400; v. d. Wulp, Tijdschr. v. Ent. xxv, 113.—Brazil, Honduras. [Walker.]
- fulvithorax** Macquart, Dipt. Exot. i, 2, 113.—Brazil, Guiana.
- fuscanipennis** Macquart, Dipt. Exot. Suppl. iv, 86.—Guiana.
- fuscipennis** Macquart, Dipt. Exot. Suppl. ii, 40.—Brazil.
- fuscus** Wiedemann, Auss. Zw. Ins. i, 465 (*Asilus*); Macquart, Dipt. Exot. i, 2, 112; Schiner, Verh. zool.-bot. Gesellsch. xvi, 686.—Brazil.
- griseus** Guerin, \*Zool. Voy. de la Coquille, ii, 2 (*Asilus*); Blanchard, Gay's Hist. Chile, vii, 369, pl. v, fig. 2; Macquart, Dipt. Exot. i, 2, 115; Philippi, Verh. zool.-bot. Gesellsch. xv, 692; Schiner, Novara Exped. 182.—Chili.
- heteropterus** Macquart, Dipt. Exot. Suppl. i, 83, pl. viii, fig. 6; Schiner, Novara Exped. 182.—New Granada.
- hyalipennis** Macquart, Dipt. Exot. i, 2, 114.—Brazil.
- hyalinus** Macquart.
- impedens** Wiedemann, Auss. Zw. Ins. i, 587 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 690; Jaennicke, Abh. Senck. Gesellsch. vi, 366 (*Senoprosopis*).
- lapidophorus** Wiedemann, Auss. Zw. Ins. i, 459 (*Asilus*); Macquart, Dipt. Exot. i, 2, 110; Schiner, Verh. zool.-bot. Gesell. xvi, 686; v. d. Wulp, Tijdschr. v. Ent. xxv, 113.—Brazil.

- Lades** Walker, List, ii, 403 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 374.—Brazil.
- lascivus** Wiedemann, Auss. Zw. Ins. i, 474 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 687; xvii, 394.—Brazil.
- Asilus amaryncus* Walker, List, ii, 400, vii, 637.—Honduras. [Walker, vii, 637.]
- leucopygus** Wiedemann, Auss. Zw. Ins. i, 586 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 690.—Brazil.
- Asilus æstuans* Linné. [Schiner.]
- longiterebratus** Macquart, Dipt. Exot. Suppl. iv, 83, pl. viii, fig. 7; Schiner, Verh. zool.-bot. Gesellsch. xvi, 713; E. Lynch A., An. Soc. Cient. Arg. x, 120.—Argentina.
- maculatus** Macquart, Dipt. Exot. i, 2, 111, pl. ix, fig. 6; Schiner, Verh. zool.-bot. Gesellsch. xvii, 392; Osten Sacken, Biol. Centr.-Amer. 200.—United States, Mexico, Guatemala, Guadalupe, Columbia, Guiana, Brazil.
- E. lateralis* Macquart, Dipt. Exot. i, 2, 116; Williston, Trans. Amer. Ent. Soc. xii, 70. [Williston.]
- E. ambiguus* Macquart, Dipt. Exot. Suppl. i, 84. [Osten Sacken.]
- Asilus interruptus* Macquart, Hist. Nat. Dipt. i, 310. [Osten Sacken.]
- E. (Eristicus) villosus* Bellardi, Saggio, etc., ii, 49. [Osten Sacken.]
- macularis** Wiedemann, Dipt. Exot. i, 193 (*Asilus*); Auss. Zw. Ins. i, 447 (id.); Macquart, Dipt. Exot. i, 2, 147, pl. xii, fig. 5 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 684; Novara Exped. 180; v. d. Wulp, Tijdschr. v. Ent. xxv, 112.—Brazil.
- medianus** Wiedemann, Auss. Zw. Ins. i, 473 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 687.—Brazil.
- mellinus** Wiedemann, Auss. Zw. Ins. i, 465 (*Asilus*); Walker, List, vi; Schiner, Verh. zool.-bot. Gesellsch. xvi, 686; xvii, 393; E. Lynch A., An. Soc. Cient. Arg. x, 119 (53).—Montevideo.
- minor** Macquart, Dipt. Exot. Suppl. ii, 41, pl. i, fig. 8.—Brazil.
- murinus** Philippi, Verh. zool.-bot. Gesellsch. xv, 694.—Chili.
- Mygdon** Walker, Dipt. Saund. 127.—South America.
- nigrinus** Wiedemann, Auss. Zw. Ins. i, 462 (*Asilus*); Dipt. Exot. i, 197 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 686.—Brazil.
- nigripes** Macquart, Dipt. Exot. Suppl. iv, 85, pl. viii, fig. 6.—Bolivia.
- notabilis** Macquart, Dipt. Exot. i, 2, 110.—America.
- obscurus** Macquart, Dipt. Exot. i, 2, 112.—Brazil.
- Parphorus** Walker, Dipt. Saund. 127.—Columbia.
- parvus** Walker, List, vii, 639.—Brazil.
- patagoniensis** Macquart, Dipt. Exot. Suppl. iv, 80; Schiner, Verh. zool.-bot. Gesellsch. xvi, 714; E. Lynch A., An. Soc. Cient. Arg. x, 111, 114 (48).—Patagonia, Argentina.
- perniger** Schiner, Novara Exped. 180.—Chili.
- pictipennis** Schiner, Novara Exped. 182.—South America.
- Potamon** Walker, Dipt. Saund. 128.—South America.
- pumilus** Macquart, Dipt. Exot. Suppl. iv, 85, pl. viii, fig. 9.—South America.
- pyrrhognus** Wiedemann, Auss. Zw. Ins. i, 472 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 687.—Brazil.
- rubidiventris** Macquart, Dipt. Exot. Suppl. iv, 84.—Brazil.

- rufinus** Wiedemann, Zool. Mag. iii, 47 (*Asilus*); Dipt. Exot. i, 189 (id.); Auss. Zw. Ins. i, 441 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 681; xvii, 393; v. d. Wulp, Notes from the Leyden Museum, iv, 78; Tijdschr. v. Ent. xxv, 113.—Brazil.
- rufipes** Macquart, Dipt. Exot. i, 2, 112.—Rio Janeiro.
- rufithorax** Macquart, Dipt. Exot. Suppl. i, 82.—Brazil.
- rufitibia** Macquart, Dipt. Exot. Suppl. iii, 27, pl. ii, fig. 11; Roeder, Stett. Ent. Zeit. 1885, 339.—Rio Negro (Macq.), St. Domingo (Walker), Porto Rico (Roeder).
- senilis** Wiedemann, Auss. Zw. Ins. i, 471 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 687; Walker, List, ii, 400; E. Lynch A., An. Soc. Cient. Arg. x, 110, 113 (47); v. d. Wulp, Tijdschr. v. Ent. xxv, 115.—Argentina, Montevideo.
- Sicyon** Walker, List, ii, 399.—Brazil.
- simplex** Macquart, Dipt. Exot. Suppl. iii, 27, pl. ii, fig. 14; Bigot, An. Soc. Cient. Arg. Ent. Fr. 1857, 545 (*Eicherax*).—Rio Negro.
- singularis** Macquart, Dipt. Exot. i, 2, 111, pl. ix, fig. 10; Walker, List, vii, 634; Schiner, Verh. zool.-bot. Gesellsch. xvi, 713; E. Lynch A., An. Soc. Cient. Arg. x, 110 (45).—Argentina, Brazil.
- Stimicon** Walker, Dipt. Saund. 129.—Colombia.
- striola** Fabricius, Syst. Antl. 172 (*Dasyopogon*); Wiedemann, Dipt. Exot. i, 199 (*Asilus*); Auss. Zw. Ins. i, 464 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 686, xvii, 392; Walker, List, vii, 625; Burmeister, Reise, etc., ii, 171 (*Eristicus*); E. Lynch A., An. Soc. Cient. Arg. x, 111, 117 (51).—Brazil, Argentina.
- stylatus** Fabricius, Syst. Ent. iv, 795 (*Asilus*); Ent. Syst. iv, 384 (id.); Syst. Antl. 171 (*Dasyopogon*); Wiedemann, Dipt. Exot. i, 198 (*Asilus*); Auss. Zw. Ins. i, 465 (id.); v. d. Wulp, Tijdschr. v. Ent. xxv, 112; Schiner, Verh. zool.-bot. Gesellsch. xvi, 686.—Rio Janeiro, Wisconsin. [Wulp.]
- subappendiculatus** Macquart, Dipt. Exot. i, 2, 114.—Brazil.
- tibialis** Macquart, Dipt. Exot. i, 2, 118.—Cayenne, St. Domingo, Pennsylvania.
- vicinus** Macquart, Dipt. Exot. Suppl. i, 85; Schiner, Novara Exped. 183.—South America, Texas.
- virillis** Wiedemann, Auss. Zw. Ins. i, 468 (*Asilus*); Macquart, Dipt. Exot. i, 2, 113; Schiner, Verh. zool.-bot. Gesellsch. xvi, 687.—Brazil.
- velox** Wiedemann, Auss. Zw. Ins. i, 468 (*Asilus*).—Pernambuco.
- Zellerstedtii** Jaennicke, Neue Exot. Dipt. 49 (362).—Venezuela.

#### PEDIOPHONEUS.

E. Lynch A., An. Soc. Cient. Arg. xv, 87, 1883.

(No species described or referred to the genus.)

#### PROCTACANTHUS.

Macquart, Dipt. Exot. i, 2, 120, 1838.

*Acanthodelphia* Bigot, An. Soc. Ent. Fr. (3) v, 545, 1857.

**Antidomus** Walker, List, ii, 408.—Brazil.

**aurolineatus** Macquart, Dipt. Exot. Suppl. i, 86, pl. viii, fig. 9.—New Granada.

**basifascia** Walker, List, vii, 654.—Brazil.

**brevipennis** Wiedemann, Auss. Zw. Ins. i, 431 (*Asilus*); v. d. Wulp, Tijdschr. v. Ent. xxv, 108.—United States, ? Argentina. [Wulp.]

- brevistylatus* v. d. Wulp, Tijdschr. v. Ent. xxv, 111.—Argentina.  
*Coprates* Walker, List, ii, 409.—Brazil.  
*cruentus* E. Lynch A., An. Soc. Cient. Arg. ix, 264, sep. 42.—Misiones.  
*Daraps* Walker, List, ii, 416 (*Asilus*); vii, 653.—Brazil.  
*flavipennis* Macquart, Dipt. Exot. Suppl. i, 85.—Columbia.  
*Hagno* Walker, List, ii, 417 (*Asilus*); vii, 653.—Brazil.  
*longus* Wiedemann, Dipt. Exot. i, 183 (*Asilus*); Auss. Zw. Ins. i, 426 (id.); Macquart, Dipt. Exot. i, 2, 123; Walker, List, vii, 648; Schiner, Verh. zool.-bot. Gesellsch. xvii, 396.—North America, Brazil. [Macquart.]  
*leucopogon* Wiedemann, Auss. Zw. Ins. i, 430 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 683; xvii, 395; E. Lynch A., Asil. Arg. 39.—Montevideo.  
*macrotelus* Walker, Trans. Linn. Soc. xvii, 340 (*Asilus*); List, ii, 420 (id.); vii, 653; Schiner, Verh. zool.-bot. Gesellsch. xvi, 714; E. Lynch A., An. Soc. Cient. Arg. ix, 260 (39).—Uruguay.  
*mystaceus* Macquart, Dipt. Exot. Suppl. i, 86.—New Granada.  
*rubricornis* Macquart, Dipt. Exot. i, 2, 122.—Brazil.  
*rubriventris* Macquart, Dipt. Exot. Suppl. iv, 87, pl. viii, fig. 3; Schiner, Verh. zool.-bot. Gesellsch. xvi, 714; E. Lynch A., An. Soc. Cient. Arg. ix, 259, sep. 37.—Brazil, Chili, Argentina, Buenos Aires, Montevideo.  
*Asilus (Proctacanthus) xanthopogon* Burmeister, \*Reise, etc., i, 317, ii, 171. [Lynch.]  
*Erax speciosus* Philippi, Verh. zool.-bot. Gesellsch. xv, 693, pl. xxvi, fig. 28.—Chili. [Lynch.]  
*senectus* v. d. Wulp, Tijdschr. v. Ent. xxv, 110.—Argentina.  
*tibialis* Macquart, Dipt. Exot. Suppl. iv, 88.—South America.  
*xanthopterus* Wiedemann, Auss. Zw. Ins. i, 427 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 682.—Brazil.  
*vetustus* Walker, Trans. Linn. Soc. xvii, 340 (*Asilus*); List, ii, 420 (id.); vii, 653; Schiner, Verh. zool.-bot. Gesellsch. xvi, 714; E. Lynch A., An. Soc. Cient. Arg. ix, 260 (38).—Uruguay.  
*vittatus* E. Lynch A., An. Soc. Cient. Arg. ix, 261, sep. 39.—Misiones.

#### ECCRITOSIA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 674.

- barbatus* Fabricius, Entom. Syst. iv, 379 (*Asilus*); Syst. Antl. 155 (id.); Wiedemann, Dipt. Exot. i, 187 (id.); Auss. Zw. Ins. i, 439 (id.); Macquart, Dipt. Exot. i, 2, 122 (*Proctacanthus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 684; v. d. Wulp, Tijdschr. v. Ent. xxv, 112.—Guiana, Cayenne, Brazil.

#### THRENIA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 674, 1866.

- carbonaria* Wiedemann, Auss. Zw. Ins. i, 454 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 685; Novara Exped. 184, pl. ii, fig. 11.—Brazil.  
*longipennis* Schiner, Novara Exped. 185.—South America.  
*lugens* Schiner, Novara Exped. 185.—South America.

## ANARMOSTUS.

Loew, Diptf. Südafrikas, 142, 1860.

*iopterus* Wiedemann, Auss. Zw. Ins. i, 438 (*Asilus*); Loew, Diptf. Südafrikas, 142; Schiner, Verh. zool.-bot. Gesellsch. xvi, 684; Osten Sacken, Biologia Centr.-Amer. 211.—Brazil, Honduras.

## LOPHONOTUS.

Macquart, Dipt. Exot. i, 2, 125, 1838.

*americanus* Macquart, Dipt. Exot. Suppl. i, 87.—Brazil. [*Dysmachus*?]

## DYSMACHUS.

Loew, Diptf. Südafrikas, 143, 1860.

*Gayi* Macquart, Dipt. Exot. i, 2, 148 (*Asilus*); Suppl. iv, 95; Blanchard, Gay's Hist. Chile. vii, 270, pl. ii, fig. 12 (id.); Philippi, xv, 695 (id.).—Chili.

## GLAPHYROPYGA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 674, 1866.

*himantocerus* Wiedemann, Auss. Zw. Ins. i, 447 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi.—Brazil.

## SENOPROSOPIS.

Macquart, Hist. Nat. Dipt. 1834; Dipt. Exot. i, 2, 130, 1838.

*Brasiliensis* Schiner, Verh. zool.-bot. Gesellsch. xvii, 404.—Brazil.

*tenuis* Wiedemann, Auss. Zw. Ins. i, 448 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi.—Brazil.

*varipes* Schiner, Verh. zool.-bot. Gesellsch. xvii, 405.—Brazil.

## LECANIA.

Macquart, Dipt. Exot. i, 2, 131, 1838.

*femorata* Macquart, Dipt. Exot. i, 2, 132.—“Patrie inconnue.”

*rufipes* Macquart, Dipt. Exot. i, 2, 130, pl. xi, fig. 2; Walker, List, vii, 761.—Brazil.

## EPITRIPTUS.

Loew, Linn. Ent. iv, 108, 1849.

*albisetosus* v. d. Wulp, Tijdschr. v. Ent. xxv, 116.—Argentina.

## ATRACTIA.

Macquart, Dipt. Exot. i, 2, 151, 1838.

*coronata* Schiner, Verh. zool.-bot. Gesellsch. xvii, 412.—Brazil.

*psilogaster* Wiedemann, Auss. Zw. Ins. i, 456 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 412; Macquart, Dipt. Exot. i, 2, 152.—Brazil.

*pulverulenta* Schiner, Verh. zool.-bot. Gesellsch. xvii, 412.—Brazil.

## HELIGMONEURA.

Bigot, Thoms. Arc. Ent. ii, 352, 1858; *Moctherus* Loew, Linn. Ent. iv, 58, 1849 (preoc.); *Neomoctherus* Osten Sacken, Cat. N. A. Dipt. 82, 1878.

*rufipalpis* Macquart, Dipt. Exot. i, 2, 146 (*Asilus*); Walker, List, vii, 705; E. Lynch A., An. Soc. Cient. Arg. x, 174, sep. 56 (*Moctherus*).—Uruguay, Montevideo, Buenos Aires, Brazil.



## LEPTOHARPACTICUS.

E. Lynch A., An. Soc. Cient. Arg. x, 178, sep. 59, 1880.

Mucius Walker, List, ii, 463, vii, 707 (*Asilus*); E. Lynch A., An. Soc. Cient. Arg. x, 180, sep. 61.—Montevideo.

## OMMATIUS.

Wiedemann, Auss. Zw. Ins. i, 418, 1828.

*apicalis* Schiner, Novara Exped. 194.—South America.

*erythropus* Schiner, Verh. zool.-bot. Gesellsch. xvii, 411.—South America.

*holosericeus* Schiner, Verh. zool.-bot. Gesellsch. xvii, 411.—Brazil.

*marginellus* Fabricius, Spec. Ins. ii, 464 (*Asilus*); Ent. Syst. iv, 384 (id.); Syst. Antl. 170 (*Dasypogon*); Wiedemann, Dipt. Exot. i, 213; Auss. Zw. Ins. i, 431; Macquart, Hist. Nat. Dipt. i, 314; Dipt. Exot. i, 2, 134, pl. xi, fig. 4.—Brazil, Porto Rico. [Roeder, Stett. Ent. Zeit. 1885, 339.]

*rufipes* Macquart, Dipt. Exot. Suppl. i, 88.—Colombia.

*scopifer* Schiner, Novara Exped. 194.—Colombia.

## ASILUS.

Linné, Fauna Suec. 308, 1746.

*albipilosus* Macquart, Dipt. Exot. Suppl. i, 92.—Brazil, Bogotia.

*annularis* Fabricius, Syst. Antl. 171 (*Dasypogon*); Wiedemann, Dipt. Exot. i, 211; Auss. Zw. Ins. i, 491.—South America.

*Antiphus* Walker, List, ii, 443.—Brazil.

*brachypterus* Philippi, Verh. zool.-bot. Gesellsch. xv, 698.—Chili.

*Baletus* Walker, List, ii, 427.—Venezuela.

*Calatinus* Walker, List, ii, 436.—Brazil.

*clavatus* Macquart, Dipt. Exot. i, 2, 147, pl. xii, fig. 3.—Brazil.

*cœruleiventris* Macquart, Dipt. Exot. Suppl. i, 93.—Colombia.

*Columbiæ* Macquart, Dipt. Exot. i, 2, 148.—Columbia.

*Ctesicles* Walker, Dipt. Saund. 149.—South America.

*cuyanus* (*Eutolmus*) E. Lynch A., An. Soc. Cient. Arg. x, 175.—Mendoza.

*eritrichus* Philippi, Verh. zool.-bot. Gesellsch. xv, 698.—Chili.

*eurylabis* Wiedemann, Auss. Zw. Ins. i, 469.—Brazil. [*Erax* ?]

*Eupator* Walker, Dipt. Saund. 147.—Brazil.

*Gavius* Walker, Dipt. Saund. 151.—Brazil.

*Gerion* Walker, List, ii, 433.—Brazil.

*Gamaxus* Walker, Dipt. Saund. 142.—Colombia.

*Hebes* Walker, List, vii, 704.—Brazil.

*Herdonius* Walker, Dipt. Saund. 140.—South America.

*Hilarii* Macquart, Dipt. Exot. i, 2, 147.—Brazil.

*Heydenii* Wiedemann, Auss. Zw. Ins. i, 490.—Brazil.

*imitator* E. Lynch A., An. Soc. Cient. Arg. xvi, 79.—Argentina. ["Genus novum ?"]

*incomptus* Philippi, Verh. zool.-bot. Gesellsch. xv, 697.—Chili.

*Lebasii* Macquart, Dipt. Exot. i, 2, 148; Suppl. i, 93.—Colombia.

*Leonides* Walker, Dipt. Saund. 150.—Rio de Janeiro.

*longiusculus* Walker, List, vii, 706.—Brazil.

*luctuosus* Macquart, Dipt. Exot. i, 2, 146.—Brazil.

*lutipes* Wiedemann, Auss. Zw. Ins. i, 454.—Brazil.

*Lycorius* Walker, Dipt. Saund. 143.—South America.

- meastylus* Philippi, Verh. zool.-bot. Gesellsch. xv, 697.—Chili.  
*melanacrus* Wiedemann, Auss. Zw. Ins. i, 472.—Brazil.  
*mellipes* Wiedemann, Auss. Zw. Ins. i, 452.—Brazil.  
*mucidos* Walker, Tr. Linn. Soc. xvii, 340.—Patagonia.  
*nigrinus* Macquart, Dipt. Exot. Suppl. iii, 30, pl. iii, fig. 5.—Brazil.  
*nigriventris* Philippi, Verh. zool.-bot. Gesellsch. xv, 696.—Chili.  
*nodicornis* Wiedemann, Auss. Zw. Ins. i, 469; Bigot, An. Soc. Ent. Fr. (3) v, 532, 543 (*Cerozodus*).—Brazil. [*Erax*?]  
*occidentalis* Philippi, Verh. zool.-bot. Gesellsch. xv, 696.—Chili.  
*Peticus* Walker, List, ii, 434.—Brazil.  
*pœcilopus* Philippi, Verh. zool.-bot. Gesellsch. xv, 697.—Chili.  
*sericans* Walker, Trans. Entom. Soc. iv, 129.—Amazon.  
*Servillea* Macquart, Hist. Nat. Dipt. i, 313.—Brazil.  
*sexmaculatus* Walker, List, vii, 707.—Brazil.  
*Saulcyi* Macquart, Dipt. Exot. i, 2, 150.—San Lorenzo Isles.  
*spectabilis* Philippi, Verh. zool.-bot. Gesellsch. xv, 695.—Chili.  
*Tatius* Walker, Dipt. Saund. 148.—Colombia.  
*tenuiventris* Macquart, Dipt. Exot. Suppl. v, 66.—South America.  
*Therimachus* Walker, Dipt. Saund. 137.—Brazil.  
*tristis* Wiedemann, Auss. Zw. Ins. i, 470.—Brazil. [*Erax*?]  
*valdivianus* Philippi, Verh. zool.-bot. Gesellsch. xv, 696.—Chili.  
*consanguineus* Macquart, Dipt. Exot. Suppl. i, 93.—Cayenne.

---

*Acanthodelphia*, see *Proctacanthus*.

*Alcima*, see *Promachus*.

*Archilestes*, see *Archilestris*.

*Ampyx*, see *Doryclus*.

*Cacodæmon*, see *Prolepsis*.

*Ceratotænia*, see *Cerotainia*.

*Chærades*, see *Laphria*.

*Clavator*, see *Hypenetes*.

*Cormansis*, see *Atomosia*.

*Cylindrophora*, see *Theromyia*.

*Discocephala*, see *Holocephala*.

*Diogmites*, see *Deromyia*.

*Euthrix*, see *Scylaticus*.

*Gastrichelius*, see *Triclis*.

*Gonypes*, see *Leptogaster*.

*Laparus*, see *Neolaparus*.

*Lochites*, see *Senobasis*.

*Lynchia*, see *Theromyia*.

*Macronyx*, see *Dicranus*.

*Mochtherus*, see *Heligmoneura*.

*Morimna*, see *Listaurus*.

*Neomochtherus*, see *Heligmoneura*.

*Phoneus*, see *Neophoneus*.

*Planetolestes*, see *Blepharepium*.

*Pseudarchilestes*, see *Archilestris*.

*Trupanea*, see *Promachus*.